


# INDIANA. N & W 2 P. M.



Township No IX North of the Base Line, Range No II West of the 2nd Meridian. Surveyed by Wm Harris 1816

Description of the Soil on the interior Sectional lines.

Total 22,276.40 Acres

Section	Quality &c	Section	Quality &c	Section	Quality &c
33, 34	Land Silty, middling farming land, Oak, Ash, Poplar, Hickory, Hazel	33, 34	North & rolling 1st rate farming land, South & Silty 2nd rate	33, 34	South & wet, North & good farming land
25, 36	ditto	27, 28	Land rolling, Oak, Sugar, Ash, Walnut, 1st rate excellent land	31, 32	South 1st rate farming land, North Silty & stony
25, 26	ditto	27, 28	Land rolling, Walnut, Oak, Sugar, Ash, 1st rate good farming land	29, 32	Land Silty, Oak, Sugar, Poplar, middling farming land
24, 25	Middling farming land, Oak, Hickory, Beech	22, 27	Land good for farming	25, 30	Same quite Silty
23, 24	Rolling good farming land, Oak, Ash, Beech, Poplar, Walnut, Elm, Sugar	21, 22	Land rolling, Oak, Sugar, Ash, Walnut, excellent farming land	24, 29	Land Silty, timber, same, good farming land
13, 24	good farming land, Oak, Ash, Beech, Poplar, Elm	15, 22	Land rolling good for farming	19, 20	Land Silty, Oak, Sugar, Ash, Walnut, same, part rather stony
12, 13	Middling farming land	15, 16	ditto	17, 20	1st rate farming land, timber, same
11, 12	Silty land, Oak, Hickory, Beech, Sugar, middling good farming land	10, 12	Oak, Ash, Beech, Walnut, Sugar, Hickory, good farming land	17, 13	Land level, timber, same, good farming land
1, 12	Land Soil - Oak, Beech, Poplar	9, 10	Land rolling, Oak, Sugar, Hickory, Walnut, 1st rate farming land	8, 17	ditto
1, 2	Silty, Oak, Beech, Hickory, middling good farming land	3, 10	Oak, Ash, Beech, Walnut, Sugar, Hickory, good farming land	7, 8	1st rate farming land, Oak, Sugar, Poplar, Walnut
24, 25	Land rolling, Poplar, Beech, Sugar, Walnut, Oak, Hickory, good farming land	3, 11	ditto	5, 8	Land level, part wet & part good farming land
26, 27	Good farming land, Oak, Ash, Poplar, Walnut	32, 33	North 1st rate farming land, South 2nd rate, timber, same	6, 7	Land level, good, timber, same, good farming land
23, 26	ditto	23, 24	Land rolling, timber, same, good farming land	6, 7	good farming land, Beech, Sugar, Poplar, Walnut
22, 23	Rolling good farming land	23, 25	South & good farming land, North Silty, timber, same	7, 18	Land level, good farming land, Oak, Sugar
14, 23	ditto	21, 23	East & good farming land, West & Silty & stony	8, 19	good farming land, Beech, Sugar, Ash, Walnut
11, 15	Oak, Beech, Ash, Walnut, Sugar, Hickory, good farming land	20, 21	Silty land, Oak, Sugar, Walnut, Poplar	19, 20	Land Silty, Oak, Sugar, Ash, Walnut, middling good farming land
11, 14	ditto	16, 21	Timber, same, good farming land	30, 31	Land good farming land
10, 11	ditto	16, 17	ditto		
9, 11	ditto	9, 16	1st rate farming land, timber, same		
2, 2	ditto	8, 9	Timber, same, good farming land		
		8, 9	Timber, same, good farming land		
		4, 9	Timber, same, good farming land		

IND 21  
H9



15/ Township N. 7 North, Range N. 2 West of 4th Meridian

Posts	Bearing trees	Angles diam.	Angles they bear	Links dist.	Quality of the Soil
A Beech	10	S 80 W	17		
B do	8	S 70 E	34		
C Beech	9	N 40 E	1		
D do	10	S 34 W	22		
E M. Oak	12	S 77 E	17		
F Beech	24	N 73 W	20		
G Dogwood	5	S 34 E	0		
H Beech	18	N 73 W	23		
I Sugar	7	S 79 E	4		
J Hickory	10	S 80 W	16		
K Ironwood	24	S 88 E	3		
L do	3	N 69 W	8		
M Beech	5	S 16 W	13		
N do	12	N 24 E	28		
O Sugar	17	S 38 E	36		
P do	14	N 19 W	31		
Q Beech	12	N 19 E	31		
R Elm	19	N 60 W	40		
S Sugar	12	N 17 W	4		
T Butternut	18	S 37 E	31		
U Hickory	12	S 37 W	3		
V do	10	S 68 E	10		
W Sugar	10	N 28 W	34		
X do	13	S 30 E	21		
Y B. Oak	18	N 26 W	20		
Z Dogwood	11	S 59 W	12		
AA Maple	14	S 10 E	29		
AB Poplar	23	S 75 W	10		
AC Hickory	12	N 30 E	20		
AD Beech	12	S 74 W	26		
AE M. Oak	14	S 30 E	18		
AF do	11	N 79 W	11		
AG Dogwood	4	S 22 E	32		
AH do	6	N 22 W	34		
AI Hickory	10	West	18		
AJ Maple	11	N 63 E	33		
AK Beech	13	N 26 E	18		
AL M. Oak	16	S 46 W	32		
AM Hickory	13	N 37 E	31		
AN do	10	S 33 W	22		
AO Dogwood	2	S 70 W	28		
AP do	11	N 76 E	18		
AQ Beech	10	S 46 E	14		
AR Dogwood	5	N 87 W	16		
AS M. Oak	12	N 30 W	7		
AT do	13	S 45 W	13		
AU Sugar	5	N 5 W	12		
AV do	5	S 40 W	12		
AW M. Oak	26	N 33 E	18		
AX Sugar	10	N 22 W	13		
AY do	13	S 11 W	30		
AZ M. Oak	10	N 23 E	4		
BA Sugar	8	S 35 W	30		
BB Elm	5	S 87 E	14		
BC Butternut	12	N 42 W	15		
BD Sugar	12	S 30 E	14		
BE Beech	8	N 12 W	12		
BF do	16	N 26 W	26		
BG do	4	S 30 E	5		
BH Sugar	12	S 77 E	9		
BI do	12	S 46 W	17		
BJ Sugar	6	S 1 E	6		
BK do	7	S 45 W	7		
BL Hickory	7	S 63 E	10		
BM Ironwood	3	N 44 E	8		
BN M. Oak	30	N 61 E	23		
BO do	30	S 38 W	38		
BP Beech	24	N 60 E	15		
BQ do	10	S 34 W	34		
BR Beech	10	S 62 E	4		
BS do	12	N 78 W	9		

Anterior Section Corners described

Corners of Section	Bearing trees	Angles diam.	Angles they bear	Links dist.
25.26.35.36	M. Oak	18	S 37 W	17
23.24.25.26	Dogwood	5	N 67 E	4
13.14.23.24	Sugar	17	S 31 W	28
11.12.13.14	Sugar	16	S 83 E	32
1.2.11.12	Sugar	7	S 86 W	13
26.27.34.35	Elm	7	S 66 W	14
22.23.26.27	Beech	16	S 16 E	12
14.15.22.23	Hickory	18	N 77 W	23
10.11.14.15	Ironwood	4	S 30 E	7
2.3.10.11	Sugar	12	S 60 W	17
27.28.32.34	M. Oak	5	S 20 W	13
21.22.27.28	Sugar	16	N 77 E	17
15.16.21.22	Beech	36	West	17
9.10.13.16	Sugar	16	N 7 E	18
3.4.9.10	Sugar	16	N 89 W	33
25.26.32.33	M. Oak	6	N 73 E	10
20.21.23.24	Sugar	20	S 87 E	24
16.17.20.21	Sugar	13	N 77 W	19
8.9.10.17	do	8	S 8 W	2
4.5.8.9	M. Oak	8	N 74 W	8
29.30.31.32	Sugar	10	S 71 E	20
19.20.29.30	Sugar	8	N 37 E	19
17.18.19.20	do	7	S 28 W	10
7.8.17.18	Beech	30	S 25 W	26
5.6.7.8	Beech	12	N 32 E	11

Anterior Quarter Section Corners continued


From & to	Bearing trees	Angles diam.	Angles they bear	Links dist.
1 to 2	Dogwood	8	S 51 W	5
2 to 3	M. Oak	22	N 50 E	2
3 to 4	Beech	16	S 60 W	26
4 to 5	Sugar	17	N 14 E	31
5 to 6	do	15	N 27 E	12
6 to 7	Sugar	11	S 53 E	12
7 to 8	do	9	N 37 E	22
8 to 9	do	10	S 4 E	5
9 to 10	Beech	5	Corner	
10 to 11	do	11	N 9 E	17
11 to 12	Beech	12	S 27 W	14
12 to 13	do	30	N 5 E	38
13 to 14	Beech	10	S 42 W	27
14 to 15	do	3	N 33 E	22
15 to 16	Sugar	17	S 39 W	14
16 to 17	Beech	11	S 64 E	29
17 to 18	Sugar	20	S 71 W	11
18 to 19	do	14	N 7 E	12
19 to 20	M. Oak	20	N 36 E	30
20 to 21	Gum	12	N 37 E	40
21 to 22	Beech	19	N 12 E	16
22 to 23	do	15	S 1 W	12
23 to 24	Hickory	14	N 29 W	1
24 to 25	Beech	6	S 34 E	6
25 to 26	M. Oak	15	S 8 W	10
26 to 27	do	16	N 30 W	10
27 to 28	M. Oak	3	S 48 W	23
28 to 29	Sugar	30	N 42 W	29
29 to 30	Beech	16	S 24 W	9
30 to 31	Beech	20	N 16 E	19
31 to 32	Beech	18	N 19 W	16
32 to 33	Sugar	10	S 10 E	17
33 to 34	Beech	11	S 7 W	9
34 to 35	Sugar	6	S 64 E	15
35 to 36	Beech	18	N 23 W	5
36 to 37	do	10	N 13 E	21
37 to 38	Beech	10	N 40 E	10
38 to 39	do	12	S 15 E	18
39 to 40	Hickory	5	S 37 W	15
40 to 41	Beech	7	N 75 W	14
41 to 42	do	7	N 33 W	17
42 to 43	do	36	N 70 E	31
43 to 44	Walnut	14	N 60 E	20
44 to 45	Sugar	17	S 44 W	32
45 to 46	Sugar	10	N 13 W	2
46 to 47	do	4	S 26 E	12
47 to 48	M. Oak	3	S 36 W	18
48 to 49	Sugar	11	N 58 W	25
49 to 50	do	5	N 13 E	10
50 to 51	Beech	12	S 30 W	10
51 to 52	Sugar	7	S 39 W	23
52 to 53	do	16	N 52 E	28
53 to 54	Beech	9	N 47 W	15
54 to 55	Elm	24	S 14 E	40
55 to 56	Sugar	12	S 26 E	4
56 to 57	do	27	S 39 W	23
57 to 58	do	12	N 27 W	23
58 to 59	do	5	S 35 E	16
59 to 60	do	18	West	5
60 to 61	do	4	S 63 W	26
61 to 62	Beech	12	S 14 W	16
62 to 63	B. Oak	14	N 8 W	22
63 to 64	Hickory	14	N 66 W	15
64 to 65	Beech	13	N 52 E	18
65 to 66	Gum	12	S 38 E	7
66 to 67	Hickory	7	N 37 W	40
67 to 68	B. Oak	13	S 47 W	8
68 to 69	Beech	14	N 27 E	41
69 to 70	do	9	S 31 E	7
70 to 71	Sugar	12	West	18
71 to 72	Beech	8	N 25 W	8
72 to 73	do	7	S 10 E	23
73 to 74	Beech	8	S 83 W	19
74 to 75	M. Oak	27	N 15 W	22
75 to 76	Sugar	4	S 8 W	10
76 to 77	Beech	18	N 24 E	27
77 to 78	Sugar	11	N 20 W	17
78 to 79	Beech	9	S 45 E	39
79 to 80	Elm	20	N 7 E	27
80 to 81	Beech	8	S 75 E	23
81 to 82	do	13	S 31 W	28
82 to 83	Dogwood	6	N 76 W	20
83 to 84	Hickory	10	S 7 E	24
84 to 85	M. Oak	20	N 24 W	15

Anterior Quarter Section Corners described

From & to	Bearing trees	Angles diam.	Angles they bear	Links dist.
1 to 2	M. Oak	18	S 36 E	22
2 to 3	do	20	S 77 W	37
3 to 4	Hickory	14	S 40 E	24
4 to 5	Beech	9	S 51 W	11
5 to 6	Dogwood	17	S 79 W	28
6 to 7	Hickory	8	N 27 E	32
7 to 8	Sugar	3	local	4
8 to 9	do	15	N 64 E	15
9 to 10	Beech	6	N 11 E	5
10 to 11	Walnut	12	S 27 E	9
11 to 12	Sugar	12	N 24 E	14
12 to 13	do	9	S 86 W	14
13 to 14	Beech	13	S 72 E	13
14 to 15	Hickory	17	S 60 W	19
15 to 16	Sugar	8	N 30 W	9
16 to 17	Elm	18	West	12
17 to 18	Sugar	9	N 33 E	72
18 to 19	do	20	S 63 W	8
19 to 20	Beech	12	S 21 W	11
20 to 21	Sugar	11	N 32 W	25
21 to 22	Beech	9	N 43 E	18
22 to 23	do	9	S 11 E	7
23 to 24	Beech	14	S 63 E	12
24 to 25	Gum	18	N 24 W	7
25 to 26	Sugar	9	— 75 E	12
26 to 27	do	5	S 5 E	34
27 to 28	Hickory	24	S 26 W	10
28 to 29	Beech	24	N 40 E	30
29 to 30	Sugar	20	N 32 E	10
30 to 31	do	9	S 52 W	13
31 to 32	Beech	10	N 61 E	3
32 to 33	Sugar	7	N 66 W	28
33 to 34	do	5	N 69 E	19
34 to 35	Beech	27	S 68 W	15
35 to 36	do	14	S 65 E	41
36 to 37	do	14	N 44 W	16



Township #9 North Range #2 West of second principal Meridian



INDIANA:

N & W 2. P. M.

Pursuant to a contract with and Instructions from Fred Mansfield Esq. Surveyor General of the State of Indiana I have measured laid out and surveyed the above described township and do hereby certify that it had such marks and bounds both natural and artificial as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office  
 Certified this 27 day of March 1816.  
 William Harris

East of the shop


50

IND

51



# Township N<sup>o</sup> 9 North, Range N<sup>o</sup> 2 West, 2<sup>nd</sup> Mer.



Surveyed in 1816 by *William Harris* Deputy Surveyor.

I certify that the above is a true copy of the  
recorded plat in this Office.

Surveyor General's Office,  
Cincinnati, Sept. 9, 1837

*Robert Lytle*  
Sur. Gen.





Pursuant to a contract with and Instructions from Jared Mansfield Esq. Surveyor General of the United States bearing date the      day of      I have measured laid out and surveyed the above described Township and do certify that it had such marks and bounds both natural & artificial as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office  
Certified this 27<sup>th</sup> day of March 1816  
William Harris D.